Listing of Claims:

Claim 1 (canceled)

Claim 2 (currently amended): The container of <u>claim 17 elaim 1</u>-wherein the panels form a polygonal sleeve.

Claims 3-5 (canceled)

Claim 6 (currently amended): The container of <u>claim 17 elaim 1</u> wherein the plurality of panels comprises four panels cooperatively forming a sleeve having a generally rectangular cross-section.

Claim 7 (original): The container of claim 6 wherein two opposing panels are gusseted panels.

Claim 8 (original): The container of claim 7 wherein the gusseted panels have a gusset fold.

Claims 9-11 (canceled)

Claim 12 (currently amended): The container of <u>claim 17 elaim 10</u> wherein the connecting members end segments converge to a line.

Claim 13 (canceled)

Claim 14 (currently amended): The container of <u>claim 17</u> elaim—1—wherein one of the panels has a port.

Claim 15 (currently amended): The container of claim 14 wherein the port has a port closure—connected thereto in sterile communication with the port, the port closure providing sterile access to the container interior.

615285/D/1 2

Claim 16 (canceled)

Claim 17 (currently amended): A flexible container composed of a polymeric material comprising:

a plurality of panels, each panel having a peripheral edge, an end, and an end segment extending from the end, the end segment having a tapered peripheral edge extending from a corresponding peripheral edge and forming an angle therebetween opposing tapered peripheral edges, the plurality of panels joined together along the peripheral edges to form a sleeve, the panels each having a fold line that cooperate to define an imaginary plane at one end of the sleeve;

a first an end panel composed of the plurality of first end segments folded at the fold line and sealed to each other along the tapered peripheral edges, the tapered peripheral edges forming a plurality of converging surfaces sealed at the tapered peripheral edges, at least one angle having a range from 135.01° to about 138° and forming at least one end segment with an additional amount of material which permits the surfaces having at least a one-portion of the end panel to extend extending outwardly from the sleeve beyond the imaginary plane when the first end panel is in an unfolded position; and

a second end panel formed at another end of the sleeve to form a closed flexible container;

wherein the sleeve and the end panels form a closed flexible container capable of maintaining a sterile barrier to an interior volume of the flexible container of at least about 200 liters.

615285/D/1 3

Claim 18 (currently amended): The container of claim 17 wherein the panels each have a second end and a second end segment extending from each second end, each second end segment having opposing—a tapered peripheral edge—edges extending from a corresponding peripheral edge and forming an angle therebetween, the panels each having a second fold line that cooperate to define a second imaginary plane at the second end of the sleeve, the second end panel composed of the plurality of the second end segments, folded at the fold line and sealed to each other along the tapered peripheral edges, the tapered peripheral edges forming a plurality of converging surfaces which extend outwardly from the sleeve at least a second angle having a range from 135.01° to about 138° and forming at least one second end segment with an additional amount of material which permits at least a portion of the second end panel to extend outwardly from the sleeve beyond the second imaginary plane.

Claim 19 (currently amended): The container of claim 17 <u>further comprising</u> wherein first and second <u>opposing opposite</u> side panels of the plurality of wherein the first and second <u>opposing</u> panels are folded on top of themselves when the flexible container is in a folded position.

Claim 20-21 (canceled)

Claim 22 (currently amended): The container of <u>claim 17 elaim 21</u>-wherein the <u>at least</u> one angle is in the range from about 135.5° to about 136.5°.

Claim 23 (currently amended): The container of <u>claim 17 elaim 21</u>-wherein the <u>at least</u> one angle is 136°.

Claim 24-27 (canceled)

Claim 28 (currently amended): The container of <u>claim 17 elaim 21</u>-wherein the enclosed container has an interior volume of at least about 200 liters.

4

615285/D/1

Claim 29 (currently amended): The flexible container of <u>claim 17elaim-1</u>, further comprising a plurality of spaced-apart hanger connection locations at a top side of the flexible container, the hanger connection locations positioned inward from an outer edge of the top side.

Claim 30 (currently amended): The flexible container of <u>claim 17elaim 1</u>, wherein the first end panel extending outwardly beyond the imaginary plane is a bottom side of the flexible container.

Claim 31 (currently amended): The flexible container of <u>claim 17elaim 1</u>, wherein the first end panel extending outwardly beyond the imaginary plane has a generally vertical orientation.

Claims 32-35 (canceled)

Claim 36 (currently amended): The container of <u>claim 15 elaim 25</u> wherein the port closure further comprises a communication member having an end attached to the port.

Claim 37 (previously presented): The container of claim 36 wherein the communication member has a length of about six feet to about 30 feet.

Claim 38 (previously presented): The container of claim 36 further comprising a stop member attached to a second end of the communication member.

Claim 39 (previously presented): The container of claim 38 wherein the stop member is a gas permeable, sterile barrier.

Claim 40 (previously presented): The container of claim 39 wherein the barrier prevents fluid from passing into the communication member.

Claim 41 (previously presented): The container of claim 38 further comprising a cover member.

615285/D/1 5

Claim 42 (previously presented): The container of claim 41 wherein the cover member covers the stop member and a portion of the second end of the communication member.

Claim 43 (currently amended): The container of <u>claim 15 claim 25</u>-further comprising a second port and a vent closure in sterile communication with the second port.

Claim 44 (previously presented): The container of claim 43 wherein the vent closure further comprises a vent tube having an end attached to the second port.

Claim 45 (previously presented): The container of claim 44 wherein the vent closure further comprises a vent plug attached to a second end of the vent tube.

Claim 46 (previously presented): The container of claim 45 wherein the vent plug is a gas permeable sterile barrier to the vent tube.

Claim 47 (previously presented): The container of claim 46 wherein the vent plug equalizes the internal and external container pressure.

Claim 48 (previously presented): The container of claim 47 wherein the vent plug permits complete filling of the container.

Claim 49 (previously presented): The container of claim 48 further comprising a vent valve disposed within said vent tube.

Claim 50 (canceled)

Claim 51 (currently amended): The container of <u>claim 17 elaim 21</u>-further comprising a plurality of spaced-apart hanger connectors on a top panel of the plurality of panels, the hanger

615285/D/1

connectors being located between a center of the top panel and an outer perimeter edge of the top panel.

Claim 52 (new): The container of claim 17 wherein the entire end panel extends beyond the imaginary plane.

Claim 53 (new): The container of claim 18 wherein the entire second end panel extends beyond the second imaginary plane.

Claim 54 (new): The container of claim 18 wherein each end segment has opposing tapered peripheral edges.

Claim 55 (new): The container of claim 18 wherein the at least second angle is in the range from about 135.5° to about 136.5°.

Claim 56 (new): The container of claim 18 wherein the at least second angle is 136°.